

Index

- Aberration, I-27–7, I-34–10
Absolute zero, I-1–5
Absorption, I-31–8 ff
Absorption coefficient, II-32–8
Acceleration, I-8–8 ff
 components of, I-9–3
 of gravity, I-9–4
Accelerator guide field, II-29–4 ff
Activation energy, I-42–7
Active circuit element, II-22–5
Adams, J C , I-7–5
Adiabatic compression, I-39–5
Adiabatic demagnetization, II-35–9 f
Adiabatic expansion, I-44–5
Affective future, I-17–4
Aharonov, II-15–12
Air trough, I-10–5
Algebra, I-22–1 ff
Alternating-current circuits, II-22–1 ff
Alternating-current generator,
 II-17–6 ff
Alnico V, II-37–10
Amber, II-1–10
Ammeter, II-16–1
Ampere, A , II-13–3
Ampere's law, II-13–4
Amperian current, II-36–2
Amplitudes of oscillation, I-21–3
Amplitude modulation, I-48–3
Analog computer, I-25–8
Anderson, C D , I-52–10
Angle, of incidence, I-26–3
 of precession, II-34–4
 of reflection, I-26–3
Angstrom (unit), I-1–3
Angular frequency, I-21–3, I-29–2
Angular momentum, I-7–7, I-18–5 f,
 I-20–1
 conservation of, I-4–7, I-18–6 ff,
 I-20–5
 of rigid body, I-20–8
Anomalous refraction, I-33–9 f
Antiferromagnetic material, II-37–11
Antimatter, I-52–10 f
Antiparticle, I-2–8
Aristotle, I-5–1
Atom, I-1–2
 metastable, I-42–10
 Rutherford-Bohr model, II-5–3
 stability of, II-5–3
 Thompson model, II-5–3
Atomic clock, I-5–5
Atomic currents, II-13–5 f
Atomic hypothesis, I-1–2
Atomic orbits, II-1–8
Atomic particles, I-2–9 f
Atomic polarizability, II-32–2
Atomic processes, I-1–5 f
Attenuation, I-31–8
Avogadro, A , I-39–2
Avogadro's number, I-41–10
Axial vector, I-52–6 f
Barkhausen effect, II-37–9
Battery, II-22–6
Becquerel, A H , I-28–3
Bell, A G , II-16–3
Benzene molecule, III-49–10 ff
Bernoulli's theorem, II-40–6 ff
Bessel function, II-23–6
Betatron, II-17–5
Biot-Savart law, II-14–10
Birefringence, I-33–3 ff
Blackbody radiation, I-41–5 f
Boehm, I-52–10
Bohm, II-7–7, II-15–12
Bohr, N., I-42–9, II-5–3
Bohr magneton, II-34–12
Bohr radius, I-38–6
Boltzmann, L , I-41–2
Boltzmann's law, I-40–2 f
Bopp, II-28–8
Born, M , I-37–1, I-38–9, II-28–7
Boundary layer, II-41–9
Boundary-value problems, II-7–1
Boyle's law, I-40–8
“Boys” camera, II-9–10
Bragg, L , II-30–9
Bragg-Nye crystal model, II-30–9 ff
Breaking-drop theory, II-9–9
Bremsstrahlung, I-34–6 f
Brewster's angle, I-33–6
Briggs, H , I-22–6
Brown, R , I-41–1
Brownian motion, I-1–8, I-6–5,
 I-41–1 ff
Brush discharge, II-9–9
Bulk modulus, II-38–3
- Calculus, differential, I-8–4, II-2–1 ff
 integral, II-3–1 ff
 of variations, II-19–3
Cantilever beam, II-38–10
Capacitance, I-23–5
 mutual, II-22–17
Capacitor, I-14–9, I-23–5, II-22–3 ff,
 II-23–2 ff
 parallel-plate, I-14–9, II-6–11 ff,
 II-8–3
Capacity, II-6–12
 of a condenser, II-8–2
Capillary action, I-51–8
Carnot, S , I-4–2, I-44–2 ff
Carnot cycle, I-44–5 f, I-45–2
Carrier signal, I-48–3
Catalyst, I-42–8
Cavendish, H., I-7–9
Cavendish's experiment, I-7–9
Cavity resonator, II-23–1 ff
- Center of mass, I-18–1 f, I-19–1 ff
Centrifugal force, I-7–5, I-12–11
Čerenkov, P. A., I-51–2
Čerenkov radiation, I-51–2
Charge, conservation of, I-4–7,
 II-13–1 f
 on electron, I-12–7
 line of, II-5–3 f
 motion of, II-29–1 ff
 sheet of, II-5–4
 sphere of, II-5–4 f
Charge density, II-5–4
Charge separation, II-9–7 ff
Charged conductor, II-8–2 ff
Chemical energy, I-4–2
Chemical kinetics, I-42–7 f
Chemical reaction, I-1–6 ff
Chromaticity, I-35–6 f
Circuits, alternating-current, II-22–1 ff
 equivalent, II-22–10 f
Circuit elements, II-23–1 f
 active, II-22–5
 passive, II-22–5
Circular motion, I-21–4
Circulation, II-1–5, II-3–8 ff
Classical electron radius, II-28–3
Clausius, R , I-44–2, I-44–3
Clausius-Clapeyron equation, I-45–6 ff
Clausius-Mossotti equation, II-11–6 f,
 II-32–7
Cleavage plane, II-30–1
Coaxial line, II-24–1
Coefficient, absorption, II-32–8
 of coupling, II-17–14
 of friction, I-12–4
 gravitational, I-7–9
 of viscosity, II-41–2
Collision, I-16–6
 elastic, I-10–7
Colloidal particles, II-7–8 ff
Color vision, I-35–1 ff
 physiochemistry of, I-35–9 f
Complex impedance, I-23–7
Complex numbers, I-22–7 ff, I-23–1 ff
Complex variable, II-7–2 ff
Compound eye, I-36–6 ff
Compression, adiabatic, I-39–5
 isothermal, I-44–5
Condenser, parallel-plate, I-14–9,
 II-6–11 ff, II-8–3
Conductivity, II-32–10
 thermal, II-2–8, II-12–2
Conductor, II-1–2
Cones, I-35–1
Conservation, of angular momentum,
 I-4–7, I-18–6 ff, I-20–5
 of charge, I-4–7, II-13–1 f
 of energy, I-3–2, I-4–1 ff, II-27–1 f
 of linear momentum, I-4–7,
 I-10–1 ff

- Contraction hypothesis, I-15-3
 Copernicus, I-7-1
 Coriolis force, I-19-8 f
 Cornea, I-35-1
 Cosmic rays, II-9-2
 Couette flow, II-41-10 ff
 Coulomb's law, I-28-2, II-4-2 ff, II-5-6
 Coupling, coefficient of, II-17-14
 Covalent bond, II-30-2
 Cross product, II-2-8, II-31-8
 Cross section for scattering, I-32-7
 Crystal, II-30-1 ff
 geometry of, II-30-1 f
 Crystal diffraction, I-38-4 f
 Crystal lattice, II-30-3 f
 Cubic cell, II-30-7
 Curie law, II-11-5
 Curie temperature, II-36-13
 Curie-Weiss law, II-11-9
 Curl operator, II-2-8, II-3-1
 Current, Amperean, II-36-2
 atomic, II-13-5 t
 eddy, II-16-6
 electric, II-13-1 f
 induced, II-16-1 ff
 Current density, II-13-1
 Cutoff frequency, II-22-14
- D'Alembertian, II-25-8
 Debye length, II-7-9
 Dedekind, R., I-22-4
 Degrees of freedom, I-25-2, I-39-12
 Demagnetization, adiabatic, II-35-9 f
 Density, I-1-4
 Derivative, I-8-5 ff
 partial, I-14-9
 Diamagnetism, II-34-1 ff
 Dicke, R. H., I-7-11
 Dielectric, II-10-1 ff, II-11-1 ff
 Dielectric constant, II-10-1 f
 Differential calculus, I-8-4, II-2-1 ff
 Diffraction, I-30-1 ff
 by screen, I-31-10 f
 Diffraction grating, I-29-5, I-30-3 ff
 Diffusion, I-43-1 ff
 of neutrons, II-12-6 ff
 Dipole, II-21-5 ff
 electric, II-6-2 ff
 magnetic, II-14-7 f
 Dipole moment, I-12-6, II-6-7
 Dipole potential, II-6-4 ff
 Dipole radiator, I-28-5 f, I-29-3 ff
 Dirac, P., I-52-10, II-2-1, II-28-7
 Dirac equation, I-20-6
 Dislocation, II-30-8, II-30-9
 Dispersion, I-31-6 ff
 Distance, I-5-5 ff
 Distance measurement, color brightness, I-5-6
 triangulation, I-5-6
 Divergence, II-25-7
 Divergence operator, II-2-7, II-3-1
 Domain, II-37-6
 Doppler effect, I-17-8, I-23-9, I-34-7 f, I-38-6
 Dot product, II-2-4, II-25-3
 Double stars, I-7-6
 Drag coefficient, II-41-7
 "Dry" water, II-40-1 ff
- Dynamics, I-7-2 f, I-9-1 ff
 relativistic, I-15-9 f
- Eddy current, II-16-6
 Efficiency of ideal engine, I-44-7 f
 Einstein, A., I-2-6, I-7-11, I-12-12, I-15-1, I-16-1, I-41-8, I-42-8, I-42-9
 Elastic collision, I-10-7
 Elastic constants, II-39-6, II-39-10 f
 Elastic energy, I-4-2, I-4-6
 Elastic materials, II-39-1 ff
 Elastica, II-38-12
 Elasticity, II-38-1 ff
 Elasticity tensor, II-39-4 ff
 Electret, II-11-8
 Electric charge density, II-2-8, II-4-3
 Electric current, II-13-1 f
 in the atmosphere, II-9-2 f
 Electric current density, II-2-8
 Electric dipole, II-6-2 ff
 Electric field, I-2-4, I-12-7 f, II-1-2, II-1-3, II-6-1 ff, II-7-1 ff
 relativity of, II-13-6 ff
 Electric flux, II-1-4
 Electric potential, II-4-4
 Electric susceptibility, II-10-4
 Electrical energy, I-4-2, II-15-3 ff
 Electrical forces, II-1-1 ff, II-13-1
 Electrodynamics, II-1-3
 relativistic notation, II-25-1 ff
 Electromagnet, II-36-9 ff
 Electromagnetic energy, I-29-2
 Electromagnetic field, I-2-2, I-2-5, I-10-9
 Electromagnetic mass, II-28-3 f
 Electromagnetic radiation, I-26-1, I-28-1 ff
 Electromagnetic waves, II-21-1 f
 cosmic rays, I-2-5
 gamma rays, I-2-5
 infrared, I-2-5, I-23-8, I-26-1
 light, I-2-5
 ultraviolet, I-2-5, I-26-1
 x-rays, I-2-5, I-26-1
 Electromagnetism, II-1-1 ff
 laws of, II-1-5 ff
 Electromotive force, II-16-2
 Electron, I-2-4, I-37-1, I-37-4 ff
 charge on, I-12-7
 radius of, classical, I-32-4
 Electron cloud, I-6-11
 Electron microscope, II-29-3 f
 Electron-ray tube, I-12-9
 Electron volt (unit), I-34-4
 Electronic polarization, II-11-1 ff
 Electrostatic energy, II-8-1 ff
 of charges, II-8-1 f
 of ionic crystal, II-8-4 ff
 in nuclei, II-8-6 ff
 of a point charge, II-8-12
 Electrostatic equations, II-10-6 f
 Electrostatic field, II-5-1 ff, II-7-1 f
 energy in, II-8-9 ff
 of a grid, II-7-10 f
 Electrostatic lens, II-29-2 f
 Electrostatic potential, equations of, II-6-1
 Electrostatics, II-4-1 ff, II-5-1
 Ellipse, I-7-1
- Emissivity, II-6-14
 Energy, II-22-11 f
 chemical, I-4-2
 of a condenser, II-8-2 ff
 conservation of, I-3-2, I-4-1 ff, II-27-1 f
 elastic, I-4-2, I-4-6
 electrical, I-4-2, II-15-3 ff
 electromagnetic, I-29-2
 electrostatic, II-8-1 ff
 in electrostatic field, II-8-9 ff
 gravitational, I-4-2 ff
 heat, I-4-2, I-4-6, I-10-7, I-10-8
 kinetic, I-1-7, I-4-2, I-4-5 f, I-39-4
 magnetic, II-17-12 ff
 mass, I-4-2, I-4-7
 mechanical, II-15-3 ff
 nuclear, I-4-2
 potential, I-4-4, I-13-1 ff, I-14-1 ff
 radiant, I-4-2
 relativistic, I-16-1 ff
 Energy density, II-27-2
 Energy flux, II-27-2
 Energy levels, I-38-7 f
 Energy theorem, I-50-7 f
 Enthalpy, I-45-5
 Entropy, I-44-10 ff, I-46-7 ff
 Eotvos, L., I-7-11
 Equilibrium, I-1-6
 Equipotential surfaces, II-4-11 f
 Equivalent circuits, II-22-10 f
 Euclid, I-5-6
 Euclidean geometry, I-12-3
 Euler force, II-38-11
 Evaporation, I-1-5 f
 of a liquid, I-40-3 f, I-42-1 ff
 Exchange force, II-37-2
 Excited state, II-8-7
 Expansion, adiabatic, I-44-5
 isothermal, I-44-5
 Exponential atmosphere, I-40-1 f
 Eye, compound, I-36-6 ff
 human, I-35-1 f, I-36-3 ff
- Farad (unit), I-25-7, II-6-13
 Faraday, M., II-10-1
 Faraday's law of induction, II-17-2
 Fermat, P., I-26-3
 Fermi (unit), I-5-10
 Fermi, E., I-5-10
 Ferrite, II-37-12
 Ferroelectricity, II-11-8 ff
 Ferromagnetic insulators, II-37-12
 Ferromagnetism, II-34-1 f, II-36-1 ff, II-37-1 ff
- Feynman, R., II-28-8
 Fields, I-2-2, I-2-4, I-2-5, I-10-9, I-12-7 ff, I-13-8 f, I-14-7 ff
 in a cavity, II-5-8 f
 of a charged conductor, II-6-8
 of a conductor, II-5-7 f
 electric, I-2-4, I-12-7 f, II-1-2, II-1-3, II-6-1 ff, II-7-1 ff
 electrostatic, II-5-1 ff, II-7-1 f
 magnetic, II-1-2, II-1-3, II-13-1, II-14-1 ff
 magnetizing, II-36-7
 scalar, II-2-2 ff
 superposition of, I-12-9

- two-dimensional, II-7–2 ff
 vector, II-1–4 f, II-2–1 ff
 Field energy, II-27–1 ff
 of a point charge, II-28–1 f
 Field index, II-29–5
 Field-ion microscope, II-6–14
 Field lines, II-4–11
 Field momentum, II-27–9 ff
 of a moving charge, II-28–2 f
 Field strength, II-1–4
 Filter, II-22–14 ff
 Flow, fluid, II-12–8 ff
 irrotational, II-40–5
 viscous, II-41–4 f
 Fluid flow, II-12–8 ff
 Flux, II-4–7 ff
 electric, II-1–4
 of a vector field, II-3–2 ff
 Flux rule, II-17–1 ff
 Focal length, I-27–1 ff
 Focus, I-26–5
 Force, centrifugal, I-7–5, I-12–11
 components of, I-9–3
 conservative, I-14–3 ff
 Coriolis, I-19–8 f
 electrical, I-2–3 ff, II-1–1 ff, I-13–1
 electromotive, II-16–2
 gravitational, I-2–3
 Lorentz, II-13–1, II-15–14
 magnetic, II-1–2, II-13–1
 molecular, I-1–3, I-12–6 f
 moment of, I-18–5
 nonconservative, I-14–6 f
 nuclear, I-12–12
 pseudo, I-12–10 ff
 Fourier, J , I-50–2 f
 Fourier analysis, I-50–2 ff
 Fourier theorem, II-7–11
 Fourier transform, I-25–4
 Four-vectors, I-15–8 f, I-17–5 ff,
 II-25–1 ff
 Fovea, I-35–1
 Frank, I , I-51–2
 Franklin, B., II-5–6
 Frequency, angular, I-21–3, I-29–2
 of oscillation, I-2–5
 plasma, II-7–6, II-32–12
 Fresnel's reflection formulas, I-33–8
 Friction, I-10–5, I-12–3 ff
 coefficient of, I-12–4

 Galileo, I-5–1, I-7–2, I-9–1, I-52–3
 Galilean relativity, I-10–3
 Galilean transformation, I-12–11
 Galvanometer, II-1–8, II-16–1
 Garnet, II-37–12
 Gauss (unit), I-34–4
 Gauss, K , II-16–2
 Gauss' law, II-4–9 f, II-5–1 ff
 Gauss' theorem, II-3–5
 Gaussian surface, II-10–1
 Geiger, II-5–3
 Gell-Mann, M , I-2–9
 Generator, alternating-current,
 II-17–6 ff
 electric, II-16–1 ff, II-22–5 ff
 van de Graaff, II-5–9, II-8–7
 Geometrical optics, I-26–1, I-27–1 f
 Gerlach, II-35–3
 Gradient operator, II-2–4, II-3–1

 Gravitation, I-2–3, I-7–1 ff, I-12–2
 Gravitational acceleration, I-9–4
 Gravitational coefficient, I-7–9
 Gravitational energy, I-4–2 ff
 Gravitational field, I-12–8 ff, I-13–8 f
 Gravity, I-13–3 ff
 acceleration of, I-9–4
 Green's function, I-25–4
 Ground state, II-8–7
 Gyroscope, I-20–5 ff

 Hamilton's first principal function,
 II-19–8
 Harmonic motion, I-21–4, I-23–1 ff
 Harmonic oscillator, I-10–1, I-21–1 ff
 forced, I-21–5 f, I-23–3 ff
 Harmonics, I-50–1 ff
 Heat, I-1–3, I-13–3
 Heat conduction, II-3–6 ff
 Heat diffusion equation, II-3–8
 Heat energy, I-4–2, I-4–6, I-10–7,
 I-10–8
 Heat engines, I-44–1 ff
 Heat flow, II-2–8 f, II-12–2 ff
 Heisenberg, W., I-6–10, I-37–1,
 I-37–9, I-37–11, I-37–12, I-38–9
 Helmholtz, H., I-35–7, II-40–10
 Henry (unit), I-25–7
 Hess, II-9–2
 Hexagonal cell, II-30–7
 High-voltage breakdown, II-6–13 f
 Hooke's law, I-12–6, II-38–1 f
 Huygens, C., I-15–2, I-26–2
 Hydrodynamics, II-40–2 ff
 Hydrostatics, II-40–1 ff
 Hypocycloid, I-34–3
 Hysteresis curve, II-37–5 ff
 Hysteresis loop, II-36–8

 Ideal gas law, I-39–10 ff
 Illumination, II-12–10 ff
 Image charge, II-6–9
 Impedance, I-25–8 f, II-22–1 ff
 complex, I-23–7
 Incidence, angle of, I-26–3
 Inclined plane, I-4–4
 Index of refraction, I-31–1 ff
 Induced currents, II-16–1 ff
 Inductance, I-23–6, II-16–4 f,
 II-17–12 ff, II-22–2 f
 mutual, II-17–9 ff, II-22–16
 self-, II-16–4, II-17–11 f
 Induction, laws of, II-17–1 ff
 Inductor, I-23–6
 Inertia, I-2–3, I-7–11
 moment of, I-18–7, I-19–5 ff
 principle of, I-9–1
 Infeld, II-28–7
 Infrared radiation, I-23–8, I-26–1
 Integral, I-8–7 f
 Integral calculus, II-3–1 ff
 Insulator, II-1–2, II-10–1
 Interference, I-28–6, I-29–1 ff
 Interfering waves, I-37–4
 Interferometer, I-15–5
 Internal reflection, II-33–12
 Ion, I-1–6
 Ionic bond, II-30–2
 Ionic conductivity, I-43–6 f
 Ionic polarizability, II-11–8

 Ionization energy, I-42–5
 Ionosphere, II-7–5, II-9–3
 Irrotational flow, II-40–5
 Isotherm, II-2–3
 Isothermal atmosphere, I-40–2
 Isothermal compression, I-44–5
 Isothermal expansion, I-44–5
 Isothermal surfaces, II-2–3
 Isotopes, I-3–4 ff

 Jeans, J , I-40–9, I-41–6 f, II-2–6
 Johnson noise, I-41–2, I-41–8
 Joule (unit), I-13–3
 Joule heating, I-24–2

 Kármán vortex street, II-41–9
 Kepler, J , I-7–1
 Kepler's laws, I-7–1 f, I-9–1, I-18–6
 Kerr cell, I-33–5
 Kilocalorie (unit), II-8–5
 Kinetic energy, I-1–7, I-4–2, I-4–5 f,
 I-39–4
 rotational, I-19–7 ff
 Kinetic theory, I-42–1 ff
 of gases, I-39–1 ff
 Kirchhoff's laws, I-25–9, II-22–7 ff
 Kronecker delta, II-31–6

 Lamb, II-5–6
 Lamé elastic constants, II-39–6
 Landé g-factor, II-34–4
 Laplace, P , I-47–7
 Laplace equation, II-6–1, II-7–1
 Laplacian operator, II-2–10
 Larmor frequency, II-34–7
 Larmor's theorem, II-34–6 f
 Laser, I-32–6, I-42–10
 Laughton, II-5–6
 Laws, of electromagnetism, II-1–5 ff
 of induction, II-17–1 ff
 Least action, principle of, II-19–1 ff
 Least time, principle of, I-26–3 ff,
 I-26–8
 Leibnitz, G. W , I-8–4
 Lens formula, I-27–6
 Lenz's rule, II-16–4, II-34–2
 Leverrier, U , I-7–5
 Liénard-Wiechert potentials, II-21–11
 Light, II-21–1 f
 momentum of, I-34–10 f
 polarized, I-32–9
 scattering of, I-32–5 ff
 speed of, I-15–1, II-18–8 f
 Light waves, I-48–1
 Lightning, II-9–10 f
 Line of charge, II-5–3 f
 Line integral, II-3–1
 Linear momentum, conservation of,
 I-4–7, I-10–1 ff
 Linear systems, I-25–1 ff
 Lodestone, II-1–10
 Logarithms, I-22–4
 Lorentz, H A , I-15–3
 Lorentz condition, II-25–9
 Lorentz contraction, I-15–7
 Lorentz force, II-13–1, II-15–14
 Lorentz formula, II-21–12 f
 Lorentz gauge, II-18–11
 Lorentz transformation, I-15–3,
 I-17–1, I-34–8, –52–2, II-25–1
 of fields, II-26–1 ff

- McCullough, II-1-9
 Mach number, II-41-6
 Magnetic dipole, II-14-7 f
 Magnetic dipole moment, II-14-8
 Magnetic energy, II-17-12 ff
 Magnetic field I-12-9 f, II-1-2,
 II-1-3, II-13-1, II-14-1 ff
 relativity of, II-13-6 ff
 of steady currents, II-13-3 f
 Magnetic force, II-1-2, II-13-1
 on a current, II-13-2 f
 Magnetic induction, I-12-10
 Magnetic lens, II-29-3
 Magnetic materials, II-37-1 ff
 Magnetic moments, II-34-3 f
 Magnetic resonance, II-35-1 ff
 Magnetic susceptibility, II-35-7
 Magnetism, I-2-4, II-34-1 ff
 Magnetization currents, II-36-1 ff
 Magnetizing fields, II-36-7
 Magnetostatics, II-4-1, II-13-1 ff
 Magnetostriction, II-37-6
 Magnification, I-27-5
 Marsden, II-5-3
 Maser, I-42-10
 Mass, I-9-1, I-15-1
 center of, I-18-1 f, I-19-1 ff
 electromagnetic, II-28-3 f
 relativistic, I-16-6 ff
 Mass energy, I-4-2, I-4-7
 Mass-energy equivalence, I-15-10 f
 Maxwell, J C, I-6-1, I-6-9, I-28-1,
 I-40-8, I-41-7, I-46-5, II-1-8,
 II-1-11, II-5-6, II-18-1 ff
 Maxwell's equations, I-15-2, I-25-3,
 I-47-7, II-2-1, II-2-8, II-4-1,
 II-6-1, II-18-1 ff, II-32-3 ff
 currents and charges, II-21-1 ff
 free space, II-20-1 ff
 Mayer, J R, I-3-2
 Mean free path, I-43-3 f
 Mean square distance, I-6-5, I-41-9
 Mechanical energy, II-15-3 ff
 Mendeléev, I-2-9
 Metastable atom, I-42-10
 Meter (unit), I-5-10
 Mev (unit), I-2-9
 Michelson-Morley experiment,
 I-15-3 ff
 Miller, W C, I-35-2
 Minkowski, I-17-8
 Minkowski space, II-31-12
 Modes, I-49-1 ff
 Mossbauer, R, I-23-9
 Mole (unit), I-39-10
 Molecular attraction, I-1-3, I-12-6 f
 Molecular crystal, II-30-2
 Molecular diffusion, I-43-7 ff
 Molecular dipole, II-11-1
 Molecular motion, I-41-1
 Molecule, I-1-3
 Moment, dipole, I-12-6
 of force, I-18-5
 of inertia, I-18-7, I-19-5 ff
 Momentum, I-9-1 f, I-38-2 ff
 angular, I-7-7, I-18-5 ff, I-20-1,
 I-20-5
 of light, I-34-10 f
 linear, I-4-7, I-10-1 ff
 relativistic, I-10-8 f, I-16-1 ff
 Momentum spectrometer, II-29-1
 Momentum spectrum, II-29-2
 Monatomic gas, I-39-5
 Monoclinic cell, II-30-7
 Motion, I-5-1, I-8-1 ff
 of charge, II-29-1 ff
 circular, I-21-4
 constrained, I-14-3
 harmonic, I-21-4, I-23-1 ff
 parabolic, I-8-10
 planetary, I-7-1 ff, I-9-6 f, I-13-5
 Motors, electric, II-16-1 ff
 Moving charge, field momentum of,
 II-28-2 f
 Music, I-50-1
 Mutual inductance, II-17-9 ff,
 II-22-16
- Nernst heat theorem, I-44-11
 Neuman, J von, II-12-9
 Neutrons, I-2-4
 diffusion of, II-12-6 ff
 Neutron diffusion equation, II-12-7
 Newton, I, I-8-4, I-15-1, I-37-1,
 II-4-10
 Newton-meter (unit), I-13-3
 Newton's laws, I-2-6, I-7-3 ff, I-7-11,
 I-9-1 ff, I-10-1 ff, I-11-7 f,
 I-12-1, I-39-2, I-41-1, I-46-1,
 II-7-5
 Nishijima, I-2-9
 Nodes, I-49-2
 Noise, I-50-1
 Nonpolar molecule, II-11-1
 Nuclear cross section, I-5-9
 Nuclear energy, I-4-2
 Nuclear forces, I-12-12
 Nuclear g-factor, II-34-4
 Nuclear interactions, II-8-7
 Nuclear magnetic resonance,
 II-35-10 ff
 Nucleus, I-2-4, I-2-8 ff
 Numerical analysis, I-9-6
 Nutation, I-20-7
 Nye, J F, II-30-9
- Oersted (unit), II-36-6
 Ohm (unit), I-25-7
 Ohm's law, I-25-7, I-43-7
 Operator, curl, II-2-8, II-3-1
 divergence, II-2-7, II-3-1
 gradient, II-2-4, II-3-1
 Laplacian, II-2-10
 vector, II-2-6
 Optic axis, I-33-3
 Optic nerve, I-35-2
 Optics, I-26-1 ff
 geometrical, I-26-1, I-27-1 ff
 Orbital motion, II-34-3
 Orientation polarization, II-11-3 ff
 Oriented magnetic moment, II-35-4
 Orthorhombic cell, II-30-7
 Oscillation, amplitude, of, I-21-3
 damped, I-24-3 f
 frequency of, I-2-5
 period of, I-21-3
 periodic, I-9-4
 phase of, I-21-3
- Oscillator, I-5-2
 harmonic, I-10-1, I-21-1, I-21-5 f,
 I-23-3 ff
- Pappus, theorem of I-19-4
 Parabolic antenna, I-30-6 f
 Parabolic motion, I-8-10
 Parallel-axis theorem, I-19-6
 Parallel-plate capacitor, I-14-9,
 II-6-11 ff, II-8-3
 Paramagnetism, II-34-1 ff, II-35-1 ff
 Paraxial rays, I-27-2
 Partial derivative, I-14-9
 Particles, "strange", II-8-7
 Permalloy, II-37-11
 Permeability, II-36-9
 Pascal's triangle, I-6-4
 Passive circuit element, II-22-5
 Pendulum, I-49-6 f
 Pendulum clock, I-5-2
 Period of oscillation, I-21-3
 Periodic time, I-5-1 f
 Perpetual motion, I-46-2
 Phase of oscillation, I-21-3
 Phase shift, I-21-3
 Phase velocity, I-48-6
 Photon, I-2-7, I-26-1, I-37-8
 Physiochemistry of color vision,
 I-35-9 f
- Piezoelectricity, II-11-8
 Pines, II-7-7
 Planck, M, I-41-6, I-42-8, I-42-9
 Planck's constant, I-5-10, I-6-10,
 I-17-8, I-37-11
 Plane lattice, II-30-5
 Plane waves, II-21-1 ff
 Planetary motion, I-7-1 ff, I-9-6 f,
 I-13-5
 Plasma frequency, II-7-6, II-32-12
 Plasma oscillations, II-7-5 ff
 Plimpton, II-5-6
 Poincaré, H, I-15-3, I-15-5, I-16-1
 Poincaré stress, II-28-4
 Point charge, electrostatic energy of,
 II-8-12
 field energy of, II-28-1 f
- Poisson's ratio, II-38-2
 Polar molecule, II-11-1, II-11-3 ff
 Polarization, I-33-1 ff, II-32-1 ff
 Polarization charges, II-10-3 ff
 Polarization vector, II-10-2 f
 Polarized light, I-32-9
 Potential energy, I-4-4, I-13-1 ff,
 I-14-1 ff
- Potential gradient of the atmosphere,
 II-9-2 f
- Power, I-13-2
 Poynting, J, II-27-3
 Precession, angle of, II-34-4 f
 of atomic magnets, II-34-4 f
- Pressure, I-1-3
 Priestly, J, II-5-6
 Principle of least action, II-19-1 ff
 Principle of superposition, II-1-3,
 II-4-2
- Probability, I-6-1 ff
 Probability density, I-6-8 f
 Probability distribution, I-6-7 ff
 Propagation factor, II-22-14
 Proton, I-2-4

- Proton spin, II-8-7
 Pseudo force, I-12-10 ff
 Ptolemy, I-26-2
 Purkinje effect, I-35-2
 Pyroelectricity, II-11-8

 Quadrupole lens, II-7-4, II-29-6
 Quadrupole potential, II-6-8
 Quantized magnetic states, II-35-1 ff
 Quantum electrodynamics, I-2-7,
 I-28-3
 Quantum mechanics, I-2-2, I-2-6 ff,
 I-6-10, I-10-9, I-37-1 ff,
 I-38-1 ff

 Rabi, I. I., II-35-4
 Rabi molecular-beam method,
 II-35-4 ff
 Radiant energy, I-4-2
 Radiation, infrared, I-23-8, I-26-1
 relativistic effects, I-35-1 ff
 synchrotron, I-34-3 ff, I-34-6
 ultraviolet, I-26-1
 Radiation damping, I-32-3 f
 Radiation resistance, I-32-1 ff
 Radioactive clock I-5-3 ff
 Radius of electron, I-32-4
 Ramsey, N., I-5-5
 Random walk, I-6-5 ff, I-41-8 ff
 Ratchet and pawl machine, I-46-1 ff
 Rayleigh's criterion, I-30-6
 Rayleigh's law, I-41-6
 Rayleigh waves, II-38-8
 Reactance, II-22-11
 Reciprocity principle, I-30-7
 Rectification, I-50-9
 Rectifier, II-22-15
 Reflected waves, II-33-7 ff
 Reflection, I-26-2 f
 angle of, I-26-3
 internal, II-33-12
 of light, II-33-1 ff
 Refraction, I-26-2 f
 anomalous, I-33-9 f
 index of, I-31-1 ff
 of light, II-33-1 ff
 Refractive index, II-32-1 ff
 Relative permeability, II-36-9
 Relativistic dynamics, I-15-9 f
 Relativistic energy, I-16-1 ff
 Relativistic mass, I-16-1 ff
 Relativistic momentum, I-10-8 f,
 I-16-1 ff
 Relativity, of electric field, II-13-6 ff
 Galilean, I-10-3
 of magnetic field, II-13-6 ff
 special theory of, I-15-1 ff
 theory of, I-7-11, I-17-1
 Resistance, I-23-5
 Resistor, I-23-5, II-22-4
 Resonant cavity, II-23-6 ff
 Resonant circuits, II-23-10 ff
 Resonant mode, II-23-10
 Resonator, cavity, II-23-1 ff
 Resolving power, I-27-7 f, I-30-5 f
 Resonance, I-23-1 ff
 electrical, I-23-5 ff
 in nature, I-23-7 ff
 Resonance interaction, I-2-9
 Retarded time, I-28-2

 Rutherford, II-5-6
 Retina, I-35-1
 Reynolds' number, II-41-5 f
 Rigid body, I-18-1
 angular momentum of, I-20-8
 rotation of, I-18-2 ff
 Ritz combination principle, I-38-8
 Rods, I-35-1, I-36-6
 Roemer, O., I-7-5
 Root-mean-square distance, I-6-6
 Rotation, of axes, I-11-3 f
 plane, I-18-1
 of a rigid body, I-18-2 ff
 in space, I-20-1 ff
 in two dimensions, I-18-1 ff
 Rushton, I-35-9
 Rutherford, II-5-3
 Rutherford-Bohr atomic model, II-5-3
 Rydberg (unit), I-38-6

 Scalar, I-11-5
 Scalar field, II-2-2 ff
 Scalar product, II-25-3 ff
 Scattering of light, I-32-5 ff
 Schrödinger, E., I-35-6, I-37-1,
 I-38-9
 Schrödinger equation, II-15-12
 Scientific method, I-2-1 f
 Screw dislocation, II-30-9
 Screw jack, I-4-5
 Second (unit), I-5-5
 Seismograph, I-51-5
 Self-inductance, II-16-4, II-17-11 f
 Shannon, C., I-44-2
 Shear modulus, II-38-5
 Shear wave, I-51-4, II-38-8
 Sheet of charge, II-5-4
 Side bands, I-48-4 f
 Simultaneity, I-15-7 f
 Sinusoidal waves, I-29-2 f
 Skin depth, II-32-11
 Slip dislocation, II-30-9
 Smoluchowski, I-41-8
 Smooth muscle, I-14-2
 Snell, W., I-26-3
 Snell's law, I-26-3, I-31-2, II-33-1
 Solenoid, II-13-5
 Solid-state physics, II-8-6
 Sound, I-2-3, I-47-1 ff, I-50-1
 speed of, I-47-7 f
 Space, I-8-2
 Space-time, I-2-6, I-17-1 ff, II-26-12
 Special theory of relativity, I-15-1 ff
 Specific heat, I-40-7 f, I-45-2, II-37-4
 Speed, I-8-2 ff, I-9-2
 of light, I-15-1, II-18-8 f
 of sound, I-47-7 f
 Sphere of charge, II-5-4 f
 Spherical waves, II-20-12 ff, II-21-2 ff
 Spinel, II-37-12
 Spin orbit, II-8-7
 Spontaneous emission, I-42-9
 Standard deviation, I-6-9
 Statics, II-4-1 f
 Statistical fluctuations, I-6-3 ff
 Statistical mechanics, I-3-1, I-40-1 ff
 Steady flow, II-40-6 ff
 Step leader, II-9-10
 Stern, II-35-3
 Stern-Gerlach experiment, II-35-3 ff

 Stevinus, S., I-4-5
 Stokes' theorem, II-3-10
 Strain, II-38-2
 Strain tensor, II-31-11, II-39-1 ff
 "Strange" particles, II-8-7
 "Strangeness" number, I-2-9
 Streamlines, II-40-6
 Stress, II-38-2
 Stress tensor, II-31-9 ff
 Striated muscle, I-14-2
 Supermalloy, II-36-9
 Superposition, II-13-11 f
 of fields, I-12-9
 principle of, I-25-2 ff, II-1-3,
 II-4-2
 Surface, equipotential, II-4-11 f
 gaussian, II-10-1
 isothermal, II-2-3
 Surface tension, II-12-5
 Symmetry, I-1-4, I-11-1 ff
 of physical laws, I-16-3, I-52-1 ff
 Synchrotron, I-2-5, I-15-9, I-34-3 ff,
 I-34-6, II-17-5

 Tamm, I., I-51-2
 Taylor expansion, II-6-7
 Temperature, I-39-6 ff
 Tensor, II-26-7, II-31-1 ff
 Tensor field, II-31-11
 Tetragonal cell, II-30-7
 Thermal conductivity, II-2-8, II-12-2
 of a gas, I-43-9 f
 Thermal equilibrium, I-41-3 ff
 Thermal ionization, I-42-5 ff
 Thermodynamics, I-39-2, I-45-1 ff,
 II-37-4 f
 laws of, I-44-1 ff
 Thompson, II-5-3
 Thompson atomic model, II-5-3
 Thompson scattering cross section,
 I-32-8
 Three-body problem, I-10-1
 Three-dimensional waves, II-20-8 f
 Thunderstorms, II-9-5 ff
 Tides, I-7-4 f
 Time, I-2-3, I-5-1 ff, I-8-1, I-8-2
 retarded, I-28-2
 standard of, I-5-5
 transformation of, I-15-5 ff
 Torque, I-18-4, I-20-1 ff
 Torsion bar, II-38-5 ff
 Total internal reflection, II-33-12 f
 Transformation, Fourier, I-25-4
 Galilean, I-12-11
 linear, I-11-6
 Lorentz, I-15-3, I-17-1, I-34-8,
 I-52-2, II-25-1, II-26-1 ff
 of time, I-15-5 ff
 of velocity, I-16-4 ff
 Transformer, II-16-4 f
 Transient, I-24-1 ff
 electrical, I-24-5 f
 Transient response, I-21-6
 Translation of axes, I-11-1 ff
 Transmission line, II-24-1 ff
 Transmitted waves, II-33-7 ff
 Travelling field, II-18-5 ff
 Triclinic lattice, II-30-7
 Trigonal lattice, II-30-7
 Twin paradox, I-16-3 f

- Two-dimensional field, II-7-2 ff
 Tycho Brahe, I-7-1
 Ultraviolet radiation, I-26-1
 Uncertainty principle, I-2-6, I-6-10 f, I-37-9, I-37-11, I-38-8 f, II-5-3
 Unit cell, I-38-5
 Unit vector, I-11-10, II-2-3
 Unworldliness, II-25-10
 van de Graaff generator, II-5-9, II-8-7
 Vector, I-11-5 ff
 Vector algebra, I-11-6 f
 Vector analysis, I-11-5, I-52-2
 Vector field, II-1-4 f, II-2-1 ff
 flux of, II-3-2 ff
 Vector integrals, II-3-1 f
 Vector operator, II-2-6
 Vector potential, II-4-1 ff, II-15-1 ff
 Vector product, I-20-4
 Velocity, I-8-3, I-9-2 f
 components of, I-9-3
 transformation of, I-16-4 ff
 Velocity potential, II-12-9
 Vinci, Leonardo da, I-36-2
 Virtual work, principle of, I-4-5
 Viscosity, II-41-1 ff
 coefficient of, II-41-2
 Viscous flow, II-41-4 f
 Vision, I-36-1 ff
 binocular, I-36-4
 color, I-35-1 ff
 Visual cortex, I-36-4
 Visual purple, I-35-9
 Voltmeter, II-16-1
 Volume strain, II-38-3
 Volume stress, II-38-3
 von Neumann, J, II-40-3
 Vortex lines, II-40-10 ff
 Vorticity, II-40-5
 Wall energy, II-37-6
 Wapstra, I-52-10
 Watt (unit), I-13-3
 Wave, I-51-1 ff, II-20-1 ff
 electromagnetic, II-21-1 f
 light, I-48-1
 plane, II-20-1 ff
 reflected, II-33-7 ff
 shear, I-51-4, II-38-8
 sinusoidal, I-29-2 f
 spherical, II-20-12 ff, II-21-2 ff
 three-dimensional, II-20-8 f
 transmitted, II-33-7 ff
 Wave equation, I-47-1 ff, II-18-9 ff
 Wavefront, I-47-3
 Waveguides, II-24-1 ff
 Wavelength, I-19-3, I-26-1
 Wave number, I-29-2
 Weber, II-16-2
 Weber (unit), II-13-1
 "Wet" water, II-41-1 ff
 Weyl, H., I-11-1
 Wheeler, II-28-8
 Wilson, C. T. R., II-9-9
 Work, I-13-1 ff, I-14-1 ff
 X-rays, I-2-5, I-26-1
 X-ray diffraction, II-30-1
 Young, I-35-7
 Young's modulus, II-38-2
 Yukawa, H., I-2-8, II-28-13
 Yukawa potential, II-28-13
 Yustova, I-35-8
 Zeno, I-8-3
 Zero, absolute, I-1-5
 Zero curl, II-3-10 f, II-4-1
 Zero divergence, II-3-10 f, II-4-1
 Zero mass, I-2-10